




201  
1-1/4" Textured Ribbed Wand, 19" Length




202  
1-1/4" Textured Ribbed Wand, 19" Length,  
with Button Lock

203  
1-1/4" Textured Ribbed Wand, 19" Length,  
with Button Lock and Wire Clips

206  
1-1/4" Textured Ribbed Wand, 19" Length,  
with Button Lock, Wire Clips and European Fit



211  
1-1/4" Smooth Ribbed Wand, 19" Length



212  
1-1/4" Smooth Ribbed Wand, 19" Length  
with Button Lock

213  
1-1/4" Smooth Ribbed Wand, 19" Length,  
with Button Lock and Wire Clips

214  
1-1/4" Smooth Ribbed Wand, 19" Length,  
with Button Lock and Dual Wire Clips

215  
1-1/4" Smooth Ribbed Wand, 19" Length,  
with Button Lock and Hose Clips

216  
1-1/4" Smooth Ribbed Wand, 19" Length,  
with Button Lock, Wire Clips and European Fit




221  
1-1/4" Textured Contemporary Wand, 19" Length




231  
2-1/4" Textured Ribbed Wand, 19" Length




## Parts Catalog List *Straight Wands*



*Wand Adapted  
With Wire Clip*



*Wand Adapted  
With Dual  
Wire Clip*



241  
1-1/4" Textured Plain Wand, 14" Length




*"Innovative Plastic Solutions"*

7955 Chardon Road Kirtland, Ohio 44094-8531  
Ph: 800-376-4466 Fax: 440-256-3053  
Email: [endura@endura.com](mailto:endura@endura.com)  
Online: [www.endura.com](http://www.endura.com)



## Parts Catalog List

### *Curved Wands*




151  
1-1/4" Textured Ribbed  
Wand, 12" Length

152  
1-1/4" Textured Ribbed Wand,  
12" Length, with Hose Collar

153  
1-1/4" Textured Ribbed Wand,  
12" Length, with Hose Collar and  
Vacuum Release

154  
1-1/4" Textured Ribbed Wand,  
12" Length, with Vacuum Release and  
Button Lock

155  
1-1/4" Textured Ribbed Wand,  
12" Length, with Button Lock




161  
1-1/4" Smooth Ribbed  
Wand, 12" Length

162  
1-1/4" Smooth Ribbed Wand,  
12" Length, with Hose Collar


163  
1-1/4" Smooth Ribbed Wand,  
12" Length, with Hose Collar  
and Vacuum Release

164  
1-1/4" Smooth Ribbed Wand,  
12" Length, with Vacuum Release  
and Button Lock


165  
1-1/4" Smooth Ribbed Wand,  
12" Length, with Button Lock




156  
1-1/4" Textured Plain  
Wand, 12" Length




166  
1-1/4" Smooth Plain  
Wand, 12" Length




167  
1-1/4" Smooth  
Ribbed 45° Angle  
Bent Wand, with  
Vacuum Release  
and Button Lock



*Wand Adapted  
With Hose Collar*



*Wand Adapted  
With Button Lock*



*Wand Adapted  
With Vacuum Release*




*"Innovative Plastic Solutions"*


7955 Chardon Road Kirtland, Ohio 44094-8531  
Ph: 800-376-4466 Fax: 440-256-3053  
Email: [endura@endura.com](mailto:endura@endura.com)  
Online: [www.endura.com](http://www.endura.com)



## Parts Catalog List *Hose Adapters*




109  
1-1/4" Textured Plain Male Taper  
to Ribbed Hose, 9-3/4" Length



114  
1-1/4" Textured Male Taper to Ribbed Hose,  
12-1/2" Length, with Handle Grip




141  
1-1/4" Textured Plain Male Taper  
to Ribbed Hose, 14" Length




101  
1-1/4" Male Taper to Ribbed  
Hose, 4-1/2" Length




112  
1-1/4" Male Taper to Male Taper,  
6" Length



124  
1-1/4" Female Taper to Ribbed Hose,  
4-1/2" Length




131  
2-1/4" Male  
Taper to 1-1/4"  
Ribbed Hose,  
3-1/4" Length



132  
2-1/4" Male  
Taper to 2-1/4"  
Ribbed Hose,  
3" Length



126  
1-1/4" Male Taper to Ribbed Hose,  
4-1/2" Length, with Vacuum  
Release and Button Lock



133  
2-1/4" Male  
Taper to  
2-1/4" Wire  
Reinforced Hose,  
3-1/2" Length



107  
3/4" Ribbed  
Hose to 1-1/4"  
Male Taper,  
2-1/4" Length



*"Innovative Plastic Solutions"*

7955 Chardon Road Kirtland, Ohio 44094-8531  
Ph: 800-376-4466 Fax: 440-256-3053  
Email: [endura@endura.com](mailto:endura@endura.com)  
Online: [www.endura.com](http://www.endura.com)




## Parts Catalog List *Attachments*



301  
1-1/4" Smooth Crevice Tool,  
8-3/4" Length


302  
1-1/4" Textured Crevice Tool,  
8-3/4" Length




331  
2-1/4" Smooth Crevice Tool, 13-3/4" Length

332  
2-1/4" Textured Crevice Tool, 13-3/4" Length

## *Other Products*




334  
2-1/4" Tank Inlet  
Port/Deflector,  
4-3/4" Length,  
with Collar



335  
2-1/4" Inlet  
Port/Deflector,  
5" Length



323  
Hose Strain  
Reinforcer,  
1-11/16" ID,  
4" Length



149  
1-1/4" Pipe  
Thread to  
Ribbed Hose,  
3-5/8" Length



333  
2-1/4" Female  
Taper to 1-1/4"  
Male Taper,  
3-1/4" Length



*"Innovative Plastic Solutions"*

7955 Chardon Road Kirtland, Ohio 44094-8531  
Ph: 800-376-4466 Fax: 440-256-3053  
Email: [endura@endura.com](mailto:endura@endura.com)  
Online: [www.endura.com](http://www.endura.com)